IEE Proceedings Part C

GENERATION, TRANSMISSION AND DISTRIBUTION

The Institution of Electrical Engineers, Savoy Place, London WC2 0BL, England.
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ England

Volume 128 1981 UK ISSN 0143–7046

HONORARY EDITORS

Dr. B.J. Cory, *Imperial College*
Dr. M.C. Ralph, *NEI Parsons Ltd.*

Pages in issues of *IEE Proceedings Part C,* 1981

Pages	Issue no.	Date
1–44	1	January
45–128	2	March
129–176	3	May
177–252	4	July
253–316	5	September
317–408	6	November

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright Act 1956, part 1, section 7, whereby a single copy of an article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by the UK Board of Trade Regulations (Statutory Instruments, 1957, no. 868), no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

An IEE licensing arrangement exists whereby organisations entering into an agreement are legally entitled to make up to ten copies of an IEE paper or article.

The appearance of the code at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made in the USA for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated per-copy fee through the Copyright Clearance Center. Inc. for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes for creating new collective works or for resale.

Photocopies of individual papers published in the IEE Proceedings can be obtained from the IEE Library at 10p a page plus a handling charge of 50p per paper, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.

© 1981: The Institution of Electrical Engineers

Secretary of the IEE: H.H.W. Losty; *Managing Editor*: Bernard Dunkley;
Assistant Editor: Steve Cokeham; *Graphics Manager*: Maurice Partridge; *Marketing Manager*: Alan Baldwin

Typeset by: Alden Press (London and Northampton) Ltd., England
Printed in England by Unwin Brothers Ltd., Old Woking, Surrey

IEE Proceedings Part C

GENERATION, TRANSMISSION AND DISTRIBUTION

The Institution of Electrical Engineers, Savoy Place, London WC2 0BL, England.
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ England

Volume 128 1981 UK ISSN 0143–7046

HONORARY EDITORS

Dr. B.J. Cory, *Imperial College*
Dr. M.C. Ralph, *NEI Parsons Ltd.*

Pages in issues of *IEE Proceedings Part C,* 1981

Pages	Issue no.	Date
1–44	1	January
45–128	2	March
129–176	3	May
177–252	4	July
253–316	5	September
317–408	6	November

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright Act 1956, part 1, section 7, whereby a single copy of an article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by the UK Board of Trade Regulations (Statutory Instruments, 1957, no. 868), no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

An IEE licensing arrangement exists whereby organisations entering into an agreement are legally entitled to make up to ten copies of an IEE paper or article.

The appearance of the code at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made in the USA for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated per-copy fee through the Copyright Clearance Center. Inc. for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes for creating new collective works or for resale.

Photocopies of individual papers published in the IEE Proceedings can be obtained from the IEE Library at 10p a page plus a handling charge of 50p per paper, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.

© 1981: The Institution of Electrical Engineers

Secretary of the IEE: H.H.W. Losty; *Managing Editor*: Bernard Dunkley;
Assistant Editor: Steve Cokeham; *Graphics Manager*: Maurice Partridge; *Marketing Manager*: Alan Baldwin

Typeset by: Alden Press (London and Northampton) Ltd., England
Printed in England by Unwin Brothers Ltd., Old Woking, Surrey

INDEX

IEE Proceedings Part C
Generation, Transmission and Distribution
Vol. 128, 1981

Abbreviations
- p Paper, address or lecture
- d Discussion on a paper
- a Abstract of paper or address
- e Errata
- s Synopsis of a paper published in full in another Part of the IEE Proceedings

Author index

A

Aggarwal, R.K., and Johns, A.T. see Johns, A.T.
Allan, R.N., and Léite da Silva, A.M. Probabilistic load flow using multilinearisations p280
Arrillaga, J., and Baird, J.F. see Baird, J.F.
Auckland, D.W., and Shuttleworth, R. Compensated systems for a micromachine model p12

B

Baird, J.F., and Arrillaga, J. Harmonic reduction in d.c.-ripple reinjection e17
Basak, P.K., and Parrott, P.G. Survey of TRV conditions on the CEGB 400kV system p342
Beeler, H., and Romegialli, G. see Romegialli, G.
Blahous, L. Problem of synthetic circuit-breaker testing with voltage injection d173
Brameller, A., Rudnick, H., and Patino, R.I. see Rudnick, H.
Brierley, G., Gray, J., Morris, D.H., Hodgson, D., Collins, C.B., Melhuish, D., and McAffer, N.T.C. Plant improvements in the prototype fast reactor station at Dounreay p111
Brown, E.P.M., and Sirisena, H.R. see Sirisena, H.R.
Brucoli, M., Torelli, F., and Trovato, M. Probabilistic approach for power system dynamic stability studies p295
Buehring, I.K., and Freris, L.L. Control policies for wind-energy conversion systems p253
Bumby, J.R. Superconducting AC generator with a magnetic steel outer rotor p1

C

Cameron, A.R. Quality assurance: is it enough? p108
Castle, J.R. Influence of nuclear safety requirements for CEGB gas cooled reactors on the design of their electrical auxiliary systems p117
Chan, W-C., and Hsu, Y-Y. Automatic generation control of interconnected power systems using variable-structure controllers p269
Charalambous, C., and Lipowski, J.S. see Lipowski, J.S.
Collins, C.B., Brierley, G., Gray, J., Morris, D.H., Hodgson, D., Melhuish, D., and McAffer, N.T.C. see Brierley, G.
Cook, V. Polyphase distance protection characteristics p302
Cooper, C.B., and Yacamini, R. Choice of analytical and modelling methods for reactive compensation equipment p402
Cornick, K.J., Ko, Y.M., and Pek, B. Power system transients caused by arcing faults p18
Crockett, A.E., Luoni, G., and Morello, A.S. see Luoni, G.
Csuros, L., and Foreman, K.F. Some practical aspects of overvoltages on the CEGB transmission system d80
Czarnecki, L.S. Minimisation of distortion power of nonsinusoidal sources applied to linear loads p208

D

Daniels, G.H., and Ranson, J.P. Electrical system design for future AGR power stations p123
Degens, A.J. Algorithm for a digital transformer differential protection based on a least-squares curve-fitting p155
Diggle, R., and Dineley, J.L. Generator works testing. Sudden-short-circuit or standstill variable-frequency-response method p177
Dineley, J.L., and Diggle, R. see Diggle, R.

E

Eames, G.F., Robbins, M.C., and Mayell, J.R. see Robbins, M.C.
Elangoran, S., Krushnaparandhama, T., Kuppurajulu, A., and Sankaranarayanan, V. see Krushnaparandhama, T.

F

Fahlén, N.T. EHV series capacitor equipment protection and control p394
Farmer, F.R., and Mackay, N.J. see Mackay, N.J.
Foote, B.L., and Gönen, T. see Gönen, T.
Foreman, K.F., and Csuros, L. see Csuros, L.
Freris, L.L., and Buehring, I.K. see Buehring, I.K.
Fröhlich, K., and Widl, W. Breakdown and field-emission behaviour of differently prestressed vacuum interrupter copper contacts p243

G

Gardner, G.E., and Urwin, R.J. Development testing techniques for airblast and SF_6 switchgear d162
Gönen, T., and Foote, B.L. Distribution-system planning using mixed-integer programming p70
Gray, J., Brierley, G., Morris, D.H., Hodgson, D., Collins, C.B., Melhuish, D., and McAffer, N.T.C. see Brierley, G.
Gyugyi, L. Control of shunt compensation with reference to new design concepts p374

H

Harley, R.G., Limebeer, D.J.N., and Lahoud, M.A. see Limebeer, D.J.N.
Hieu Huynh, N., McGillis, D., and Scott, G. see McGillis, D.
Hiyama, T. Identification of coherent generators using frequency response p262
Hodgson, D., Brierley, G., Gray, J., Morris, D.H., Collins, C.B., Melhuish, D., and McAffer, N.T.C. see Brierley, G.
Hsu, Y-Y., and Chan, W-C. see Chan, W-C.
Humpage, W.D., Wong, K.P., and Nguyen, T.T. Surge diverter and transformer nonlinearities in z-transform electromagnetic transient analysis in power systems p63
Humpage, W.D., Wong, K.P., and Nguyen, T.T. Z-transform electromagnetic transient analysis of crossbonded cable transmission systems p55

I

Indulkar, C.S., Kumar, P., and Kothari, D.P. Sensitivity analysis of modal quantities for underground cables p229
Ives, G. Licensing and design in a changing environment: a European view p94

J

Jackson, R.L. Significance of surface preparation for bolted aluminium joints p45
Johns, A.T. New ultra-high-speed directional comparison technique for the protection of EHV transmission lines d169
Johns, A.T., and Aggarwal, R.K. Digital simulation of fault autoreclosure sequences. With particular reference to the performance evaluation of protection for EHV transmission lines p183
Jones, K.M. Static compensation of AC power systems (Editorial Introduction) p362

K

Kitchin, R.H. New method for digital-computer evaluation of convertor harmonics in power systems using state-variable analysis p196
Ko, Y.M., Cornick, K.J., and Pek, B. see Cornick, K.J.
Kothari, D.P., Indulkar, C.S., and Kumar, P. see Indulkar, C.S.
Krushnaparandhama, T., Elangoran, S., Kuppurajulu, A., and Sankaranarayanan, V. Fast power-flow solution by the method of reduction and restoration d360
Kumar, P., Indulkar, C.S., and Kothari, D.P. see Indulkar, C.S.
Kuppurajulu, A., Krushnaparandhama, T., Elangoran, S., and Sankaranarayanan, V. see Krushnaparandhama, T.

L

Lahoud, M.A., Limebeer, D.J.N., and Harley, R.G. see Limebeer, D.J.N.
Laughton, M.A., Parton, K.C., and Rafian, M. see Parton, K.C.
Le Poidevin, G.J. Corrosion and fatigue failure of insulated copper conductors used for overhead power lines p219
Léite da Silva, A.M., and Allan, R.N. see Allan, R.N.
Limebeer, D.J.N., Harley, R.G., and Lahoud, M.A. Suppressing subsynchronous resonance with static filters p33
Lipowski, J.S., and Charalambous, C. Solution of optimal load flow problem by modified recursive quadratic-programming method p288
Luoni, G., Morello, A.S., and Crockett, A.E. Continuous current rating for external and surface cooled cable systems p129

M

McAffer, N.T.C., Brierley, G., Gray, J., Morris, D.H., Hodgson, D., Collins, C.B., and Melhuish, D. see Brierley, G.
McGillis, D., Hieu Huynh, N., and Scott, G. Role of static compensation in meeting AC system control requirements with particular reference to the James Bay systems p389
Mackay, N.J., and Farmer, F.R. Effect of changing safety requirements on nuclear power station design (Editorial) p90
Matsuura, K. Calculation of the transmission capacity of long-distance EHV single-core submarine cable systems p351
Mayell, J.R., Robbins, M.C., and Eames, G.F. see Robbins, M.C.

Melhuish, D., Brierley, G., Gray, J., Morris, D.H., Hodgson, D., Collins, C.B., and McAffer, N.T.C. see Brierley, G.
Messerle, H.K., and Trung, D.T. see Trung, D.T.
Morello, A.S., Luoni, G., and Crockett, A.E. see Luoni, G.
Morris, D.H., Brierley, G., Gray, J., Hodgson, D., Collins, C.B., Melhuish, D., and McAffer, N.T.C. see Brierley, G.

N

Nagendra Rao, P.S., Prakasa Rao, K.S., and Nanda, J. Fast power-flow solution by the method of reduction and restoration d360
Nagendra Rao, P.S., Prakasa Rao, K.S., and Nanda, J. Load flow solution for ill-conditioned power systems by quadratically convergent Newton-like method d250
Nanda, J., Nagendra Rao, P.S., and Prakasa Rao, K.S. see Nagendra Rao, P.S.
Nguyen, T.T., Humpage, W.D., and Wong, K.P. see Humpage, W.D.
Nigim, K.A., and Smith, G.A. see Smith, G.A.

P

Parrott, P.G., and Basak, P.K. see Basak, P.K.
Parton, K.C., Rafian, M., and Laughton, M.A. Superconducting power-system transductor p235
Patino, R.I., Rudnick, H., and Brameller, A. see Rudnick, H.
Pek, B., Cornick, K.J., and Ko, Y.M. see Cornick, K.J.
Perz, M.C., and Raghuveer, M.R. Analysis of radio interference magnetic field lateral profiles of lossy AC and DC power lines p140
Prakasa Rao, K.S., Nagendra Rao, P.S., and Nanda, J. see Nagendra Rao, P.S.
Purge Prasad, G.S.S.S.K., and Tripathy, S.C. see Tripathy, S.C.

R

Rafian, M., Parton, K.C., and Laughton, M.A. see Parton, K.C.
Raghuveer, M.R., and Perz, M.C. see Perz, M.C.
Ranson, J.P., and Daniels, G.H. see Daniels, G.H.
Richardson, A.S. Dynamic analysis of lightly iced conductor galloping in two degrees of freedom p211
Robbins, M.C., Eames, G.F., and Mayell, J.R. Nuclear Safety Chains p100 e139
Romegialli, G., and Beeler, H. Problems and concepts of static compensator control p382
Rowbottom, M.D. Method of calculating the vulnerability of an overhead transmission line to faults caused by galloping p334
Rudnick, H., Patino, R.I., and Brameller, A. Power-system dynamic equivalents coherency recognition via the rate of change of kinetic energy p325

S

Sankaranarayanan, V., Krushnaparandhama, T., Elangoran, S., and Kuppurajulu, A. see Krushnaparandhama, T.
Scott, G., McGillis, D., and Hieu Huynh, N. see McGillis, D.
Shuttleworth, R., and Auckland, D.W. see Auckland, D.W.
Sirisena, H.R., and Brown, E.P.M. Inclusion of HVDC links in AC power-system state estimation p147
Slamecka, E. Problem of synthetic circuit-breaker testing with voltage injection d173
Smith, G.A., and Nigim, K.A. Wind-energy recovery by a static Sherbius induction generator p317

T

Torelli, F., Brucoli, M., and Troyato, M. see Brucoli, M.
Torseng, S. Shunt-connected reactors and capacitors controlled by thyristors p366
Tripathy, S.C., and Purge Prasad, G.S.S.S.K. Load flow solution for ill-conditioned power systems by quadratically convergent Newton-like method d250
Trovato, M., Brucoli, M., and Torelli, F. see Brucoli, M.
Trung, D.T., and Messerle, H.K. Electrical operating and stability region for MHD generator/inverter link p28

U

Urwin, R.J., and Gardner, G.E. see Gardner, G.E.

W

Widl, W., and Fröhlich, K. see Fröhlich, K.
Wong, K.P., Humpage, W.D., and Nguyen, T.T. see Humpage, W.D.

Y

Yacamini, R., and Cooper, C.B. see Cooper, C.B.

Contributors to Discussions Published in IEE Proceedings Part C

Airey, D.R., **164**
Ali, S.M.G., **162**
Anderson, B.R., **84**

Butterworth, –, **122**
Beswick, T.C., **107, 110**

Campbell, L.C., **166**
Cheetham, J., **122**
Critchley, O.H., **105, 110**

Daniels, –, **122**

Farmer, F.R., **98, 106, 122**

Galanides, A.R., **83**
Gow, S., **107**

Harris, L.A., **84**
Heimer, H., **98, 106, 115, 128**
Heinrich, –, **99**
Hughes, R.C., **83**

Ives, G., **106**

Jones, G.R., **163**

Koller, V., **105, 122, 128**

Mayer, A., **81**
Mackay, N., **116**
McKay, N.J., **122**
Millar, R.B., **170**

Oakeshott, D.F., **83**

Pantic, B.O., **358**
Pembleton, E., **116**
Pender, J.T., **165**
Penfold, A.R., **162**

Reid, J.F., **166**
Robbins, M.C., **122**
Ryan, H.M., **80**

Sanderson, J.V.H., **169**
Stalewski, A., **84**
Sullivan, J.A., **80**

Tompsett, D.H., **170**
Tufnell, D.H.A., **81**

Usher, B., **169**

Walker, C.W., **122**
White, E.L., **85**
Whittaker, J.C., **170**
Williams, J.R., **107, 115**
Wright, A., **169**

Subject index

ARCING

Power system transients caused by arcing faults. K.J.Cornick, Y.M.Ko and B.Pek p18

BREAKDOWN AND GAS DISCHARGES

Breakdown and field-emission behaviour of differently prestressed vacuum interrupter copper contacts. K.Fröhlich and W.Widl p243

CABLES AND OVERHEAD LINES

Continuous current rating for external and surface cooled cable systems. G.Luoni, A.S.Morello and A.E.Crockett p129
Corrosion and fatigue failure of insulated copper conductors used for overhead power lines. G.J.Le Poidevin p219
Dynamic analysis of lightly iced conductor galloping in two degrees of freedom. A.S.Richardson p211
Sensitivity analysis of modal quantities for underground cables. C.S.Indulkar, P.Kumar and D.P.Kothari p229
Z-transform electromagnetic transient analysis of crossbonded cable transmission systems. W.D.Humpage, K.P.Wong and T.T.Nguyen p55

CIRCUIT BREAKERS

Breakdown and field-emission behaviour of differently prestressed vacuum interrupter copper contacts. K.Fröhlich and W.Widl p243
Problem of synthetic circuit-breaker testing with voltage injection. L.Blahous d173

CIRCUIT BREAKING

Digital simulation of fault autoreclosure sequences. With particular reference to the performance evaluation of protection for EHV transmission lines. A.T.Johns and R.K.Aggarwal p183

COMPUTER APPLICATIONS

Distribution-system planning using mixed-integer programming. T.Gönen and B.L.Foote p70

CONDUCTORS AND CONDUCTIVITY

Calculation of the transmission capacity of long-distance EHV single-core submarine cable systems. K.Matsuura p351

CONTROL EQUIPMENT AND APPLICATIONS

Choice of analytical and modelling methods for reactive compensation equipment. C.B.Cooper and R.Yacamini p402
Control of shunt compensation with reference to new design concepts. L.Gyugyi p374
EHV series capacitor equipment protection and control. N.T.Fahlén p394
Problems and concepts of static compensator control. G.Romegialli and H.Beeler p382
Role of static compensation in meeting AC system control requirements with particular reference to the James Bay systems. D.McGillis N.Hieu Huynh and G.Scott p389
Shunt-connected reactors and capacitors controlled by thyristors. S.Torseng p366

CONTROL-SYSTEM SYNTHESIS

Polyphase distance protection characteristics. V.Cook p302

CONVERTORS

Harmonic reduction in d.c.-ripple reinjection. J.F.Baird and J.Arrillaga e17

DIGITAL SIMULATION

Automatic generation control of interconnected power systems using variable-structure controllers. W-C.Chan and Y-Y.Hsu p269
New method for digital-computer evaluation of convertor harmonics in power systems using state-variable analysis. R.H.Kitchin p196

ELECTROMAGNETICS

Surge diverter and transformer nonlinearities in z-transform electromagnetic transient analysis in power systems. W.D.Humpage, K.P.Wong and T.T.Nguyen p63
Z-transform electromagnetic transient analysis of crossbonded cable transmission systems. W.D.Humpage, K.P.Wong and T.T.Nguyen p55

ELECTRON DEVICES

Problem of synthetic circuit-breaker testing with voltage injection. L.Blahous d173

ENERGY CONVERSION AND STORAGE

Control policies for wind-energy conversion systems. I.K.Buehring and L.L.Freris p253
Wind-energy recovery by a static Sherbius induction generator. G.A.Smith and K.A.Nigim p317

FILTERS, FILTERING AND PREDICTION THEORY

Suppressing subsynchronous resonance with static filters. D.J.N.Limebeer, R.G.Harley and M.A.Lahoud p33

GENERATORS

Electrical operating and stability region for MHD generator/inverter link. D.T.Trung and H.K.Messerle p28
Fast power-flow solution by the method of reduction and restoration. T.Krushnaparandhama, S.Elangoran, A.Kuppurajulu and V.Sankaranarayanan d360
Generator works testing. Sudden-short-circuit or standstill variable-frequency-response method. R.Diggle and J.L.Dineley p177
Identification of coherent generators using frequency response. T.Hiyama p262
Superconducting AC generator with a magnetic steel outer rotor. J.R.Bumby p1
Wind-energy recovery by a static Sherbius induction generator. G.A.Smith and K.A.Nigim p317

INSTRUMENTATION AND MEASURING SCIENCE

Inclusion of HVDC links in AC power-system state estimation. H.R.Sirisena and E.P.M.Brown p147
Polyphase distance protection characteristics. V.Cook p302

INSULATORS AND INSULATION

Corrosion and fatigue failure of insulated copper conductors used for overhead power lines. G.J.Le Poidevin p219
Some practical aspects of overvoltages on the CEGB transmission system. L.Csuros and K.F.Foreman d80

LIGHTNING AND LIGHTNING PROTECTION

Some practical aspects of overvoltages on the CEGB transmission system. L.Csuros and K.F.Foreman d80

LOAD AND VOLTAGE REGULATION

Automatic generation control of interconnected power systems using variable-structure controllers. W-C.Chan and Y-Y.Hsu p269
Fast power-flow solution by the method of reduction and restoration. T.Krushnaparandhama, S.Elangoran, A.Kuppurajulu and V.Sankaranarayanan d360
Load flow solution for ill-conditioned power systems by quadratically convergent Newton-like method. S.C.Tripathy and G.S.S.S.K.Purge Prasad d250
Minimisation of distortion power of nonsinusoidal sources applied to linear loads. L.S.Czarnecki p208

MAGNETIC FIELDS

Analysis of radio interference magnetic field lateral profiles of lossy AC and DC power lines. M.C.Perz and M.R.Raghuveer p140

MATHEMATICAL TECHNIQUES

Algorithm for a digital transformer differential protection based on a least-squares curve-fitting. A.J.Degens p155
Inclusion of HVDC links in AC power-system state estimation. H.R.Sirisena and E.P.M.Brown p147
Load flow solution for ill-conditioned power systems by quadratically convergent Newton-like method. S.C.Tripathy and G.S.S.S.K.Purge Prasad d250
Solution of optimal load flow problem by modified recursive quadratic-programming method. J.S.Lipowski and C.Charalambous p288

MOTORS

Compensated systems for a micromachine model. D.W.Auckland and R.Shuttleworth p12

NETWORKS

Fast power-flow solution by the method of reduction and restoration. T.Krushnaparandhama, S.Elangoran, A.Kuppurajulu and V.Sankaranarayanan d360
New method for digital-computer evaluation of convertor harmonics in power systems using state-variable analysis. R.H.Kitchin p196
Probabilistic load flow using multilinearisations. R.N.Allan and A.M.Léite da Silva p280

NOISE AND INTERFERENCE

Analysis of radio interference magnetic field lateral profiles of lossy AC and DC power lines. M.C.Perz and M.R.Raghuveer p140

NONLINEAR SYSTEMS

Load flow solution for ill-conditioned power systems by quadratically convergent Newton-like method. S.C.Tripathy and G.S.S.S.K.Purge Prasad d250
Probabilistic load flow using multilinearisations. R.N.Allan and A.M.Léite da Silva p280

OPTIMAL CONTROL

Distribution-system planning using mixed-integer programming. T.Gönen and B.L.Foote p70

PHYSICAL PROPERTIES

Breakdown and field-emission behaviour of differently prestressed vacuum interrupter copper contacts. K.Fröhlich and W.Widl p243

POWER ELECTRONICS

Electrical operating and stability region for MHD generator/inverter link. D.T.Trung and H.K.Messerle p28
Harmonic reduction in d.c.-ripple reinjection. J.F.Baird and J.Arrillaga e17

POWER SYSTEM PROTECTION

Algorithm for a digital transformer differential protection based on a least-squares curve-fitting. A.J.Degens p155
Choice of analytical and modelling methods for reactive compensation equipment. C.B.Cooper and R.Yacamini p402
Control of shunt compensation with reference to new design concepts. L.Gyugyi p374
Digital simulation of fault autoreclosure sequences. With particular reference to the performance evaluation of protection for EHV transmission lines. A.T.Johns and R.K.Aggarwal p183
Effect of changing safety requirements on nuclear power station design (Editorial). N.J.Mackay and F.R.Farmer p90
EHV series capacitor equipment protection and control. N.T.Fahlén 394
Electrical system design for future AGR power stations. G.H.Daniels and J.P.Ranson p123
Influence of nuclear safety requirements for CEGB gas cooled reactors on the design of their electrical auxiliary systems. J.R.Castle p117
Licensing and design in a changing environment: a European view. G.Ives p94
Minimisation of distortion power of nonsinusoidal sources applied to linear loads. L.S.Czarnecki p208
New ultra-high-speed directional comparison technique for the protection of EHV transmission lines. A.T.Johns d169
Nuclear Safety Chains. M.C.Robbins, G.F.Eames and J.R.Mayell p100 e139
Polyphase distance protection characteristics. V.Cook p302
Power system transients caused by arcing faults. K.J.Cornick, Y.M.Ko and B.Pek p18
Problems and concepts of static compensator control. G.Romegialli and H.Beeler p382
Quality assurance: is it enough?. A.R.Cameron p108
Role of static compensation in meeting AC system control requirements with particular reference to the James Bay systems. D.McGillis, N.Hieu Huynh and G.Scott p387
Shunt-connected reactors and capacitors controlled by thyristors. S.Torseng p366

POWER SYSTEMS AND PLANT

Automatic generation control of interconnected power systems using variable-structure controllers. W-C.Chan and Y-Y.Hsu p269
Choice of analytical and modelling methods for reactive compensation equipment. C.B.Cooper and R.Yacamini p402
Control of shunt compensation with reference to new design concepts. L.Gyugyi p374
Digital simulation of fault autoreclosure sequences. With particular reference to the performance evaluation of protection for EHV transmission lines. A.T.Johns and R.K.Aggarwal p183
Dynamic analysis of lightly iced conductor galloping in two degrees of freedom. A.S.Richardson p211
Effect of changing safety requirements on nuclear power station design (Editorial). N.J.Mackay and F.R.Farmer p90
EHV series capacitor equipment protection and control. N.T.Fahlén p391
Electrical system design for future AGR power stations. G.H.Daniels and J.P.Ranson p123
Identification of coherent generators using frequency response. T.Hiyama p262
Inclusion of HVDC links in AC power-system state estimation. H.R.Sirisena and E.P.M.Brown p147
Influence of nuclear safety requirements for CEGB gas cooled reactors on the design of their electrical auxiliary systems. J.R.Castle p117
Licensing and design in a changing environment: a European view. G.Ives p94
Minimisation of distortion power of nonsinusoidal sources applied to linear loads. L.S.Czarnecki p208
New method for digital-computer evaluation of convertor harmonics in power systems using state-variable analysis. R.H.Kitchin p196
Nuclear Safety Chains. M.C.Robbins, G.F.Eames and J.R.Mayell p100 e139
Plant improvements in the prototype fast reactor station at Dounreay. G.Brierley, J.Gray, D.H.Morris, D.Hodgson, C.B.Collins, D.Melhuish and N.T.C.McAffer p111
Power-system dynamic equivalents coherency recognition via the rate of change of kinetic energy. H.Rudnick, R.I.Patino and A.Brameller p325
Probabilistic approach for power system dynamic stability studies. M.Brucoli, F.Torelli and M.Trovato p295
Problems and concepts of static compensator control. G.Romegialli and H.Beeler p382
Quality assurance: is it enough?. A.R.Cameron p108
Role of static compensation in meeting AC system control requirements with particular reference to the James Bay systems. D.McGillis, N.Hieu Huynh and G.Scott p389
Shunt-connected reactors and capacitors controlled by thyristors. S.Torseng p366
Static compensation of AC power systems (Editorial Introduction). K.M.Jones p362
Superconducting power-system transductor. K.C.Parton, M.Rafian and M.A.Laughton p235
Survey of TRV conditions on the CEGB 400kV system. P.K.Basak and P.G.Parrott p342

POWER TRANSMISSION

Analysis of radio interference magnetic field lateral profiles of lossy AC and DC power lines. M.C.Perz and M.R.Raghuveer p140
Calculation of the transmission capacity of long-distance EHV single-core submarine cable systems. K.Matsuura p351
Digital simulation of fault autoreclosure sequences. With particular reference to the performance evaluation of protection for EHV transmission lines. A.T.Johns and R.K.Aggarwal p183
Distribution-system planning using mixed-integer programming. T.Gönen and B.L.Foote p70
Dynamic analysis of lightly iced conductor galloping in two degrees of freedom. A.S.Richardson p211
Effect of changing safety requirements on nuclear power station design (Editorial). N.J.Mackay and F.R.Farmer p90
Sensitivity analysis of modal quantities for underground cables. C.S.Indulkar, P.Kumar and D.P.Kothari p229
Significance of surface preparation for bolted aluminium joints. R.L.Jackson p45
Some practical aspects of overvoltages on the CEGB transmission system. L.Csuros and K.F.Foreman d80

Surge diverter and transformer nonlinearities in z-transform electromagnetic transient analysis in power systems. W.D.Humpage, K.P.Wong and T.T.Nguyen p63
Survey of TRV conditions on the CEGB 400kV system. P.K.Basak and P.G.Parrott p342
Z-transform electromagnetic transient analysis of crossbonded cable transmission systems. W.D.Humpage, K.P.Wong and T.T.Nguyen p55

RELAYS

New ultra-high-speed directional comparison technique for the protection of EHV transmission lines. A.T.Johns d169

SIMULATION

Generator works testing. Sudden-short-circuit or standstill variable-frequency-response method. R.Diggle and J.L.Dineley p177
Identification of coherent generators using frequency response. T.Hiyama p262
Nuclear Safety Chains. M.C.Robbins, G.F.Eames and J.R.Mayell p100 e139
Power-system dynamic equivalents coherency recognition via the rate of change of kinetic energy. H.Rudnick, R.I.Patino and A.Brameller p325
Probabilistic load flow using multilinearisations. R.N.Allan and A.M.Léite da Silva p280

STABILITY

Probabilistic approach for power system dynamic stability studies. M.Brucoli, F.Torelli and M.Trovato p295

SUPERCONDUCTIVITY

Superconducting AC generator with a magnetic steel outer rotor. J.R.Bumby p1
Superconducting power-system transductor. K.C.Parton, M.Rafian and M.A.Laughton p235

SWITCHES AND SWITCHING THEORY

Some practical aspects of overvoltages on the CEGB transmission system. L.Csuros and K.F.Foreman d80

TIME-VARYING PARAMETERS

Power-system dynamic equivalents coherency recognition via the rate of change of kinetic energy. H.Rudnick, R.I.Patino and A.Brameller p325

TRANSFORMERS AND SWITCHGEAR

Algorithm for a digital transformer differential protection based on a least-squares curve-fitting. A.J.Degens p155
Control policies for wind-energy conversion systems. I.K.Buehring and L.L.Freris p253
Development testing techniques for airblast and SF_6 switchgear. G.E.Gardner and R.J.Urwin d162
New method for digital-computer evaluation of convertor harmonics in power systems using state-variable analysis. R.H.Kitchin p196
Superconducting power-system transductor. K.C.Parton, M.Rafian and M.A.Laughton p235
Wind-energy recovery by a static Sherbius induction generator. G.A.Smith and K.A.Nigim p317

TRANSFORMS

Surge diverter and transformer nonlinearities in z-transform electromagnetic transient analysis in power systems. W.D.Humpage, K.P.Wong and T.T.Nguyen p63
Z-transform electromagnetic transient analysis of crossbonded cable transmission systems. W.D.Humpage, K.P.Wong and T.T.Nguyen p55

TRANSIENTS

Some practical aspects of overvoltages on the CEGB transmission system. L.Csuros and K.F.Foreman d80

TRANSMISSION-LINE THEORY

Method of calculating the vulnerability of an overhead transmission line to faults caused by galloping. M.D.Rowbottom p334
New ultra-high-speed directional comparison technique for the protection of EHV transmission lines. A.T.Johns d169
Survey of TRV conditions on the CEGB 400kV system. P.K.Basak and P.G.Parrott p342

Book Review

Piecewise methods and applications to power systems: H.H. Happ p268

Conference Publication

192 Future energy concepts 175